

Message

---

**From:** Farruggia, Frank [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=4C3AD69F1885434C8D07F0B519EE2B33-FARRUGGIA, FRANK]  
**Sent:** 5/23/2022 3:49:21 PM  
**To:** Khan, Faruque [Khan.Faruque@epa.gov]; Sankula, Sujatha [Sankula.Sujatha@epa.gov]  
**CC:** Orrick, Greg [Orrick.Greg@epa.gov]  
**Subject:** RE: Greg and I will switch to another meeting in few min; please share with us anything that needs our attention on broflan EOM

Yup, overall simplification of slides will be:

- Background intro to PFAS agency approach and testing process
- Inert ingredients (few slides to button that up)
- Summary of PZQ and Broflanilide (broflanilide first) using the management summary slides
- Highlight areas that are uncertainties
- Suggestions for moving forward
  - o Data needs or potential needs
  - o Registrations of new products
- Questions for management
- Back Pocket
  - o All Broflanilide and PZQ specific slides

---

**From:** Khan, Faruque <Khan.Faruque@epa.gov>  
**Sent:** Monday, May 23, 2022 11:16 AM  
**To:** Sankula, Sujatha <Sankula.Sujatha@epa.gov>; Farruggia, Frank <Farruggia.Frank@epa.gov>  
**Cc:** Orrick, Greg <Orrick.Greg@epa.gov>  
**Subject:** RE: Greg and I will switch to another meeting in few min; please share with us anything that needs our attention on broflan EOM

Hi Sujatha,

RD hasn't made much progress with PFAS briefing slides but agreed to revamp slide deck with critical elements of the presentation upfront and keep details as backup slides.

Additional data calling idea kick around for fate and eco for terminal ring structures of broflanilide and PZQ.

Thanks

Faruque

P.S. Frank-Anything else you like to add?

---

**From:** Sankula, Sujatha <Sankula.Sujatha@epa.gov>  
**Sent:** Monday, May 23, 2022 10:37 AM  
**To:** Farruggia, Frank <Farruggia.Frank@epa.gov>; Khan, Faruque <Khan.Faruque@epa.gov>  
**Cc:** Orrick, Greg <Orrick.Greg@epa.gov>  
**Subject:** RE: Greg and I will switch to another meeting in few min; please share with us anything that needs our attention on broflan EOM

Also the total number of slides!! Every meeting leading to another one..

---

**From:** Farruggia, Frank <Farruggia.Frank@epa.gov>  
**Sent:** Monday, May 23, 2022 10:28 AM  
**To:** Sankula, Sujatha <Sankula.Sujatha@epa.gov>; Khan, Faruque <Khan.Faruque@epa.gov>  
**Cc:** Orrick, Greg <Orrick.Greg@epa.gov>

**Subject:** RE: Greg and I will switch to another meeting in few min; please share with us anything that needs our attention on broflan EOM

There is way too much detail in this presentation. So much repetition.

---

**From:** Sankula, Sujatha <[Sankula.Sujatha@epa.gov](mailto:Sankula.Sujatha@epa.gov)>

**Sent:** Monday, May 23, 2022 10:24 AM

**To:** Farruggia, Frank <[Farruggia.Frank@epa.gov](mailto:Farruggia.Frank@epa.gov)>; Khan, Faruque <[Khan.Faruque@epa.gov](mailto:Khan.Faruque@epa.gov)>

**Cc:** Orrick, Greg <[Orrick.Greg@epa.gov](mailto:Orrick.Greg@epa.gov)>

**Subject:** Greg and I will switch to another meeting in few min; please share with us anything that needs our attention on broflan EOM

Sujatha

Sujatha Sankula, Ph.D  
Branch Chief  
EPA/OCSP/OPP/EFED/ERB1  
WJC Building East (6120AA)  
1201 Constitution Ave NW  
Washington, DC 20004  
Tel: 202-566-1634  
[sankula.sujatha@epa.gov](mailto:sankula.sujatha@epa.gov)